
	Don Bosco Catholic Secondary School			
	MDM 4U1	Name:		
	Unit 3 Quiz Data Analysis	Date:		
	Mr Notten, May 2015	K: /17	T: /4	C: /10

Part A: Multiple-Choice

[1 K mark each]

Circle the **best possible answer**.

- In a set of data, if the median is greater than the mean, the data is said to be
 - skewed left
 - symmetrical
 - skewed right
- The data in the graph below could be described as
 - skewed left
 - symmetrical
 - skewed right



- If $X \sim N(4, 2.5^2)$, then the standard deviation is
 - 4
 - 2.5
 - 6.25
 - 1
- In a normal distribution with a mean of 10 and standard distribution of 3, the z-score of $X = 16$ is
 - 2
 - 2
 - 0.9772
 - 0.0228
- In a normal distribution with a mean of 10 and standard distribution of 3, $P(X < 4) =$
 - 2
 - 2
 - 0.9772
 - 0.0228

6. A value with a z-score of 1.78 is in the
a) 3rd percentile b) 4th percentile c) 96th percentile d) 97th percentile
7. In a normal distribution, the z-score of a variable X represents
a) the probability of getting X
b) how many standard deviations away from the mean X is
c) the probability of getting less than X
d) another name for standard deviation
8. In a normal distribution, which of the following is not true,
a) the mean, median and mode are equal
b) the area under a normal distribution curve is 1
c) the normal distribution curve is symmetrical
d) almost all of the data (99.7%) falls within 2 standard deviations of the mean
9. σ^2 is called the
a) variance b) standard deviation c) mean d) interquartile range
10. Interquartile range is a measure of spread based on the
a) mean b) median c) mode d) standard deviation

Formulas:

$$\bar{x} = \frac{\sum x}{n}$$

$$\bar{x} = \frac{\sum xw}{\sum w}$$

$$\sigma = \sqrt{\frac{\sum (x_i - \bar{x})^2}{n}}$$

$$z = \frac{x - \bar{x}}{\sigma}$$

Part B: Short Answer: Fully answer the following questions in the space provided. Show all work.

1. Calculate the mean, median, mode, standard deviation and interquartile range for the following data set. Show your work. [7 K marks]

Wait times in line at Starbucks (seconds)
120
180
60
70
300
400
90
200
90
210

Mean:

Standard deviation:


Median:

Interquartile Range:

Mode:

2. The distance Mr Notten's car can drive on 1 tank of gas is a normal distribution with an average of 360 km and a standard deviation of 50 km.

a) Sketch the normal distribution curve of the scenario. Label the mean. [1 A mark]



b) What is the probability Mr. Notten's car will drive less than 300 km on a tank of gas? [2 A marks]

c) Ottawa is 450 km away from Toronto. What is the probability Mr. Notten's car will get to Ottawa on 1 tank of gas? [3 A marks]

d) What is the probability Mr. Notten's car will run out of gas between 300 km and 400 km? [3 A marks]

3. Your term mark is worth 70% of your final mark. Your exam is worth 30% of your final mark.

a) If you earn 75% in the term and 80% on the exam, what is your final mark in the course? [2 T marks]

b) If you have a 75% going into the exam, what percent would you need on your exam to get a final mark of 80% in the course? [2 T marks]

4. For the following set of data, create a histogram with **5 intervals (bins)**. [10 C marks]

- Make sure to choose an appropriate bin width for the data
- Remember, no values should fall between 2 bins

3.1
8.2
12.0
9.4
10.1
9.6
6.2
3.9
15.8
12.0
11.2
6.7
1.7

